## Elephant – List of Changes – Final Round

Tim Beyne<sup>1</sup>, Yu Long Chen<sup>1</sup>, Christoph Dobraunig<sup>2</sup>, and Bart Mennink<sup>3</sup>

 <sup>1</sup> KU Leuven and imec-COSIC, Leuven, Belgium
<sup>2</sup> Lamarr Security Research, Austria
<sup>3</sup> Radboud University, Nijmegen, The Netherlands elephant@cs.ru.nl

May 17, 2021

- Elephant v2 replaces the variant of the Wegman-Carter-Shoup MAC function in v1 and v1.1 by a variant of the protected counter sum MAC function. The new version v2 achieves confidentiality and authenticity in the noncerespecting setting, as v1 and v1.1 did, but *in addition* it achieves authenticity under nonce-reuse.
- A minor change in the positioning in the masks has been made to make v2 slightly more efficient. The roles of the masks are now  $(\cdot, 0)$  for associated data authentication (used to be encryption),  $(\cdot, 1)$  for encryption (used to be ciphertext authentication), and  $(\cdot, 2)$  for ciphertext authentication (used to be associated data authentication).
- Appendix B (Security of Elephant Mode) has been adapted to the new version, and has furthermore been generalized to cover multi-user security. Section 3 (Parametrization of Elephant) has been expanded to include a high-level discussion on the multi-user security result.
- The implementation has been updated to the new version.
- Appendix A (List of Cryptanalysis) has been updated, and in Section 5.1, a paragraph discussing the quantum analysis of Bonnetain and Jaques [27] has been added.